

m-CAFÉs Development of novel CRISPR-Cas technologies for precise manipulation of microbial networks

Adam M. Deutschbauer*¹(AMDeutschbauer@LBL.Gov), Peter F. Andeer¹, Jens Heller¹, Peter Kim², Trenton Owens¹, Joelle Schlapfer¹, Anup K. Singh², Trent R. Northen¹, Jill Banfield³, Eoin L. Brodie¹, Jennifer A. Doudna³, Mary K. Firestone³, Peter S. Nico¹, Rodolphe Barrangou⁴ and **N. Louise Glass**¹

¹Lawrence Berkeley National Laboratory, Berkeley; ²Sandia National Laboratory, Livermore; ³University of California, Berkeley; ⁴North Carolina State University, Raleigh

Project Goals: To derive mechanistic understandings of plant-microbe-soil interactions using reproducible, simplified ecosystems

The m-CAFÉs program is a collaborative, coordinated and integrated, mission-driven program to interrogate the function of soil microbiomes with critical implications for carbon cycling and sequestration, nutrient availability and plant productivity in natural and managed ecosystems. As part of this effort, we aim to interrogate the importance and function of individual microorganisms in synthetic and natural microbiomes within realistic, fabricated ecosystems (EcoFABs). However, the technologies to enable this precise manipulation of single species within a complex community environment are currently lacking. Therefore, a major goal of the m-CAFÉs program is to pioneer the development of CRISPR-Cas soil microbiome editing to uncover the functions of cultivated and uncultivated microorganisms. This powerful new platform will provide the fundamental genetic basis for the formation and functional importance of microbial metabolic interaction networks in soil. Here, we present some of our preliminary studies as well as a roadmap for the development of this approach including strategies for delivery and precise microbial targeting and ablation.

Funding statement.

This material by m-CAFÉs Microbial Community Analysis & Functional Evaluation in Soils, (m-CAFÉs@lbl.gov) a Project led by Lawrence Berkeley National Laboratory is based upon work supported by the U.S. Department of Energy, Office of Science, Office of Biological & Environmental Research under contract number DE-AC02-05CH11231