

Lignin Manipulation in Feedstocks Towards Lignin Valorization and Bioproducts

Lin Chien-Yuan^{1,2}, Khahn Vuu^{1,2}, Patrick Shih^{1,2}, Henrik V. Scheller^{1,2}, Aymerick Eudes^{1,2*}(ageudes@lbl.gov), and **Jay D. Keasling**^{1,3}

¹Joint BioEnergy Institute, Emeryville, California

²Lawrence Berkeley National Laboratory, Environmental Genomics and Systems Biology Division, Berkeley, California

³Lawrence Berkeley National Laboratory, Biological Systems and Engineering Division, Berkeley, California

<https://www.jbei.org/>

Project Goals: The most abundant organic material on earth is lignocellulosic biomass or non-food plant material. JBEI's mission is to convert biomass to biofuels and bioproducts. The goal is to provide the nation with clean, renewable transportation fuels and chemicals. Building a successful lignocellulosic biofuels industry depends, in part, on developing specialized bioenergy crops or feedstocks that are optimized for deconstruction and conversion.

Lignin, along with cellulose and hemicellulose, comprises the majority of plant cell wall. To improve the quality of biomass for conversion into biofuels or bioproducts, genetic manipulation mostly focused on lignin engineering. At JBEI, we propose novel approaches for lignin valorization by manipulating lignin to reduce biomass recalcitrance and produce bioproducts without growth penalties. To achieve our goal, we apply JBEI's synthetic biology tools to introduce new genes/pathways utilizing the shikimate and phenylpropanoid pathways. Four strategies were chosen for tailoring feedstocks including: 1) Reduction of the biomass recalcitrance and increasing the yield of biomass; 2) Reduction of the degree of polymerization (DP) of lignin; 3) Manipulation of lignification by overproducing a native monolignol precursors, *p*-coumarate (*p*-CA), and incorporate it into lignin polymer; 4) Lignin Valorization for accumulation of bioproducts such as 4-hydroxybenzoic acid (HBA), protocatechuic acid (PCA), and muconic acid (MA). All the possible pathways for reducing biomass recalcitrance, manipulating lignification and producing bioproducts are introduced to model and bioenergy feedstocks, including *Arabidopsis*, *Brachypodium*, sorghum, tobacco and poplar.

Funding statement.

This work was part of the DOE Joint BioEnergy Institute (<http://www.jbei.org>) supported by the U. S. Department of Energy, Office of Science, Office of Biological and Environmental Research, through contract DE-AC02-05CH11231 between Lawrence Berkeley National Laboratory and the U. S. Department of Energy.